



等厚型



呼名 深さ(H)	上幅	単価 (円)	参考質量 (kg)	寸法 (mm)								
				B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
500	300	別途見積	447	300	440	225	400	2000	50	70	50	87.5
	400	〃	471	400	540	325	500					
	500	〃	495	500	640	425	600					
	600	〃	519	600	740	525	700					
	700	〃	533	700	840	625	800					
	800	〃	567	800	940	725	900					
	900	〃	591	900	1040	825	1000					
	1000	〃	615	1000	1140	925	1100					
600	400	〃	595	400	540	310	500	2000	60	70	65	95
	500	〃	626	500	640	410	600					
	600	〃	657	600	740	510	700					
	700	〃	688	700	840	610	800					
	800	〃	719	800	940	710	900					
	900	〃	750	900	1040	810	1000					
	1000	〃	780	1000	1140	910	1100					
	1100	〃	812	1100	1240	1010	1200					
700	400	〃	715	400	540	295	500	2000	70	70	75	102.5
	500	〃	751	500	640	395	600					
	600	〃	787	600	740	495	700					
	700	〃	823	700	840	595	800					
	800	〃	859	800	940	695	900					
	900	〃	895	900	1040	795	1000					
	1000	〃	931	1000	1140	895	1100					
	1100	〃	967	1100	1240	995	1200					
	1200	〃	1003	1200	1340	1095	1300					

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
700	1300	別途見積	1039	1300	1440	1195	1400	2000	70	70	75	102.5
	1400	〃	1075	1400	1540	1295	1500					
	1500	〃	1111	1500	1640	1395	1600					
800	500	〃	942	500	660	380	600	2000	80	80	75	120
	600	〃	978	600	760	480	700					
	700	〃	1014	700	860	580	800					
	800	〃	1050	800	960	680	900					
	900	〃	1086	900	1060	780	1000					
	1000	〃	1122	1000	1160	880	1100					
	1100	〃	1158	1100	1260	980	1200					
	1200	〃	1194	1200	1360	1080	1300					
	1300	〃	1230	1300	1460	1180	1400					
	1400	〃	1266	1400	1560	1280	1500					
	1500	〃	1302	1500	1660	1380	1600					
	1600	〃	1338	1600	1760	1480	1700					
900	500	〃	1216	500	680	365	640	2000	90	90	95	137.5
	600	〃	1262	600	780	465	740					
	700	〃	1308	700	880	565	840					
	800	〃	1353	800	980	665	940					
	900	〃	1399	900	1080	765	1040					
	1000	〃	1444	1000	1180	865	1140					
	1100	〃	1490	1100	1280	965	1240					
	1200	〃	1536	1200	1380	1065	1340					
	1300	〃	1581	1300	1480	1165	1440					
	1400	〃	1627	1400	1580	1265	1540					
	1500	〃	1672	1500	1680	1365	1640					
	1600	〃	1718	1600	1780	1465	1740					
1000	500	〃	1385	500	680	350	640	2000	100	90	105	145
	600	〃	1435	600	780	450	740					
	700	〃	1485	700	880	550	840					
	800	〃	1535	800	980	650	940					
	900	〃	1585	900	1080	750	1040					
	1000	〃	1635	1000	1180	850	1140					
	1100	〃	1685	1100	1280	950	1240					
	1200	〃	1735	1200	1380	1050	1340					
	1300	〃	1785	1300	1480	1150	1440					
	1400	〃	1836	1400	1580	1250	1540					
	1500	〃	1886	1500	1680	1350	1640					
	1600	〃	1936	1600	1780	1450	1740					
1700	〃	1986	1700	1880	1550	1840						

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

呼名		単価 (円)	参考質量 (kg)	寸法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
1000	1800	別途見積	2037	1800	1980	1650	1940	2000	100	90	105	145
	1900	〃	2087	1900	2080	1750	2040					
	2000	〃	2137	2000	2180	1850	2140					
1100	600	〃	1641	600	780	435	740	2000	110	90	110	152.5
	700	〃	1694	700	880	535	840					
	800	〃	1747	800	980	635	940					
	900	〃	1800	900	1080	735	1040					
	1000	〃	1852	1000	1180	835	1140					
	1100	〃	1905	1100	1280	935	1240					
	1200	〃	1958	1200	1380	1035	1340					
	1300	〃	2011	1300	1480	1135	1440					
	1400	〃	2064	1400	1580	1235	1540					
	1500	〃	2116	1500	1680	1335	1640					
	1600	〃	2169	1600	1780	1435	1740					
	1700	〃	2222	1700	1880	1535	1840					
	1800	〃	2275	1800	1980	1635	1940					
	1900	〃	2328	1900	2080	1735	2040					
	2000	〃	2380	2000	2180	1835	2140					
2100	〃	2433	2100	2280	1935	2240						
2200	〃	2486	2200	2380	2035	2340						
1200	700	〃	1799	700	880	520	840	2000	120	90	110	160
	800	〃	1852	800	980	620	940					
	900	〃	1905	900	1080	720	1040					
	1000	〃	1958	1000	1180	820	1140					
	1100	〃	2011	1100	1280	920	1240					
	1200	〃	2063	1200	1380	1020	1340					
	1300	〃	2116	1300	1480	1120	1440					
	1400	〃	2169	1400	1580	1220	1540					
	1500	〃	2222	1500	1680	1320	1640					
	1600	〃	2275	1600	1780	1420	1740					
	1700	〃	2327	1700	1880	1520	1840					
	1800	〃	2380	1800	1980	1620	1940					
	1900	〃	2433	1900	2080	1720	2040					
	2000	〃	2486	2000	2180	1820	2140					
	2100	〃	2539	2100	2280	1920	2240					
2200	〃	2591	2200	2380	2020	2340						
2300	〃	2644	2300	2480	2120	2440						
2400	〃	2697	2400	2580	2220	2540						

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
1300	800	別途見積	2191	800	1000	605	960	2000	130	100	120	177.5
	900	〃	2249	900	1100	705	1060					
	1000	〃	2306	1000	1200	805	1160					
	1100	〃	2364	1100	1300	905	1260					
	1200	〃	2422	1200	1400	1005	1360					
	1300	〃	2479	1300	1500	1105	1460					
	1400	〃	2537	1400	1600	1205	1560					
	1500	〃	2594	1500	1700	1305	1660					
	1600	〃	2652	1600	1800	1405	1760					
	1700	〃	2710	1700	1900	1505	1860					
	1800	〃	2767	1800	2000	1605	1960					
	1900	〃	2825	1900	2100	1705	2060					
	2000	〃	2882	2000	2200	1805	2160					
	2100	〃	2940	2100	2300	1905	2260					
	2200	〃	2998	2200	2400	2005	2360					
	2300	〃	3055	2300	2500	2105	2460					
2400	〃	3113	2400	2600	2205	2560						
2500	〃	3170	2500	2700	2305	2660						
2600	〃	3228	2600	2800	2405	2760						
1400	900	〃	2476	900	1100	690	1060	2000	140	100	130	185
	1000	〃	2539	1000	1200	790	1160					
	1100	〃	2601	1100	1300	890	1260					
	1200	〃	2664	1200	1400	990	1360					
	1300	〃	2726	1300	1500	1090	1460					
	1400	〃	2788	1400	1600	1190	1560					
	1500	〃	2851	1500	1700	1290	1660					
	1600	〃	2913	1600	1800	1390	1760					
	1700	〃	2976	1700	1900	1490	1860					
	1800	〃	3038	1800	2000	1590	1960					
	1900	〃	3100	1900	2100	1690	2060					
	2000	〃	3163	2000	2200	1790	2160					
	2100	〃	3225	2100	2300	1890	2260					
	2200	〃	3288	2200	2400	1990	2360					
	2300	〃	3350	2300	2500	2090	2460					
	2400	〃	3412	2400	2600	2190	2560					
2500	〃	3475	2500	2700	2290	2660						
2600	〃	3537	2600	2800	2390	2760						
2700	〃	3600	2700	2900	2490	2860						
2800	〃	3662	2800	3000	2590	2960						

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
1500	900	別途見積	2707	900	1100	675	1060	2000	150	100	140	192.5
	1000	〃	2774	1000	1200	775	1160					
	1100	〃	2841	1100	1300	875	1260					
	1200	〃	2908	1200	1400	975	1360					
	1300	〃	2976	1300	1500	1075	1460					
	1400	〃	3043	1400	1600	1175	1560					
	1500	〃	3110	1500	1700	1275	1660					
	1600	〃	3177	1600	1800	1375	1760					
	1700	〃	3244	1700	1900	1475	1860					
	1800	〃	3312	1800	2000	1575	1960					
	1900	〃	3379	1900	2100	1675	2060					
	2000	〃	3446	2000	2200	1775	2160					
	2100	〃	3513	2100	2300	1875	2260					
	2200	〃	3580	2200	2400	1975	2360					
	2300	〃	3648	2300	2500	2075	2460					
	2400	〃	3715	2400	2600	2175	2560					
	2500	〃	3782	2500	2700	2275	2660					
	2600	〃	3849	2600	2800	2375	2760					
2700	〃	3916	2700	2900	2475	2860						
2800	〃	3984	2800	3000	2575	2960						
2900	〃	4051	2900	3100	2675	3060						
3000	〃	4118	3000	3200	2775	3160						
1600	1000	〃	2975	1000	1200	760	1160	2000	160	100	140	200
	1100	〃	3042	1100	1300	860	1260					
	1200	〃	3109	1200	1400	960	1360					
	1300	〃	3177	1300	1500	1060	1460					
	1400	〃	3244	1400	1600	1160	1560					
	1500	〃	3311	1500	1700	1260	1660					
	1600	〃	3378	1600	1800	1360	1760					
	1700	〃	3445	1700	1900	1460	1860					
	1800	〃	3513	1800	2000	1560	1960					
	1900	〃	3580	1900	2100	1660	2060					
	2000	〃	3647	2000	2200	1760	2160					
	2100	〃	3714	2100	2300	1860	2260					
	2200	〃	3781	2200	2400	1960	2360					
	2300	〃	3849	2300	2500	2060	2460					
	2400	〃	3916	2400	2600	2160	2560					
2500	〃	3983	2500	2700	2260	2660						
2600	〃	4050	2600	2800	2360	2760						
2700	〃	4117	2700	2900	2460	2860						

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
1600	2800	別途見積	4185	2800	3000	2560	2960	2000	160	100	140	200
	2900	〃	4252	2900	3100	2660	3060					
	3000	〃	4319	3000	3200	2760	3160					
1700	1000	〃	3252	1000	1200	745	1160	2000	170	100	150	207.5
	1100	〃	3324	1100	1300	845	1260					
	1200	〃	3396	1200	1400	945	1360					
	1300	〃	3468	1300	1500	1045	1460					
	1400	〃	3540	1400	1600	1145	1560					
	1500	〃	3612	1500	1700	1245	1660					
	1600	〃	3684	1600	1800	1345	1760					
	1700	〃	3756	1700	1900	1445	1860					
	1800	〃	3828	1800	2000	1545	1960					
	1900	〃	3900	1900	2100	1645	2060					
	2000	〃	3972	2000	2200	1745	2160					
	2100	〃	4044	2100	2300	1845	2260					
	2200	〃	4116	2200	2400	1945	2360					
	2300	〃	4188	2300	2500	2045	2460					
	2400	〃	4260	2400	2600	2145	2560					
	2500	〃	4332	2500	2700	2245	2660					
	2600	〃	4404	2600	2800	2345	2760					
2700	〃	4476	2700	2900	2445	2860						
2800	〃	4548	2800	3000	2545	2960						
2900	〃	4620	2900	3100	2645	3060						
3000	〃	4692	3000	3200	2745	3160						
1800	1000	〃	3894	1000	1270	730	1190	2000	200	135	170	230
	1100	〃	3976	1100	1370	830	1290					
	1200	〃	4057	1200	1470	930	1390					
	1300	〃	4139	1300	1570	1030	1490					
	1400	〃	4220	1400	1670	1130	1590					
	1500	〃	4302	1500	1770	1230	1690					
	1600	〃	4384	1600	1870	1330	1790					
	1700	〃	4465	1700	1970	1430	1890					
	1800	〃	4547	1800	2070	1530	1990					
	1900	〃	4628	1900	2170	1630	2090					
	2000	〃	4710	2000	2270	1730	2190					
	2100	〃	4792	2100	2370	1830	2290					
	2200	〃	4873	2200	2470	1930	2390					
	2300	〃	4955	2300	2570	2030	2490					
	2400	〃	5034	2400	2670	2130	2590					
2500	〃	5118	2500	2770	2230	2690						
2600	〃	5200	2600	2870	2330	2790						

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
1800	2700	別途見積	5281	2700	2970	2430	2890	2000	200	135	170	230
	2800	〃	5363	2800	3070	2530	2990					
	2900	〃	5444	2900	3170	2630	3090					
	3000	〃	5526	3000	3270	2730	3190					
1900	1000	〃	4051	1000	1256	730	1190	2000	200	128	170	230
	1100	〃	4132	1100	1356	830	1290					
	1200	〃	4214	1200	1456	930	1390					
	1300	〃	4296	1300	1556	1030	1490					
	1400	〃	4377	1400	1656	1130	1590					
	1500	〃	4459	1500	1756	1230	1690					
	1600	〃	4541	1600	1856	1330	1790					
	1700	〃	4622	1700	1956	1430	1890					
	1800	〃	4704	1800	2056	1530	1990					
	1900	〃	4785	1900	2156	1630	2090					
	2000	〃	4867	2000	2256	1730	2190					
	2100	〃	4949	2100	2356	1830	2290					
	2200	〃	5030	2200	2456	1930	2390					
	2300	〃	5112	2300	2556	2030	2490					
	2400	〃	5193	2400	2656	2130	2590					
	2500	〃	5275	2500	2756	2230	2690					
2600	〃	5357	2600	2856	2330	2790						
2700	〃	5438	2700	2956	2430	2890						
2800	〃	5520	2800	3056	2530	2990						
2900	〃	5601	2900	3156	2630	3090						
3000	〃	5683	3000	3256	2730	3190						
2000	1000	〃	4152	1000	1240	730	1190	2000	200	120	170	230
	1100	〃	4233	1100	1340	830	1290					
	1200	〃	4315	1200	1440	930	1390					
	1300	〃	4396	1300	1540	1030	1490					
	1400	〃	4478	1400	1640	1130	1590					
	1500	〃	4560	1500	1740	1230	1690					
	1600	〃	4641	1600	1840	1330	1790					
	1700	〃	4723	1700	1940	1430	1890					
	1800	〃	4804	1800	2040	1530	1990					
	1900	〃	4886	1900	2140	1630	2090					
	2000	〃	4968	2000	2240	1730	2190					
	2100	〃	5049	2100	2340	1830	2290					
	2200	〃	5131	2200	2440	1930	2390					
2300	〃	5213	2300	2540	2030	2490						
2400	〃	5294	2400	2640	2130	2590						

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
2000	2500	別途見積	5376	2500	2740	2230	2690	2000	200	120	170	230
	2600	〃	5457	2600	2840	2330	2790					
	2700	〃	5539	2700	2940	2430	2890					
	2800	〃	5621	2800	3040	2530	2990					
	2900	〃	5702	2900	3140	2630	3090					
	3000	〃	5784	3000	3240	2730	3190					
2100	1000	〃	4837	1000	1270	685	1190	2000	250	135	200	252.5
	1100	〃	4933	1100	1370	785	1290					
	1200	〃	5029	1200	1470	885	1390					
	1300	〃	5125	1300	1570	985	1490					
	1400	〃	5221	1400	1670	1085	1590					
	1500	〃	5317	1500	1770	1185	1690					
	1600	〃	5413	1600	1870	1285	1790					
	1700	〃	5509	1700	1970	1385	1890					
	1800	〃	5605	1800	2070	1485	1990					
	1900	〃	5701	1900	2170	1585	2090					
	2000	〃	5797	2000	2270	1685	2190					
	2100	〃	5893	2100	2370	1785	2290					
	2200	〃	5989	2200	2470	1885	2390					
	2300	〃	6085	2300	2570	1985	2490					
	2400	〃	6181	2400	2670	2085	2590					
	2500	〃	6277	2500	2770	2185	2690					
2600	〃	6373	2600	2870	2285	2790						
2700	〃	6469	2700	2970	2385	2890						
2800	〃	6565	2800	3070	2485	2990						
2900	〃	6661	2900	3170	2585	3090						
3000	〃	6757	3000	3270	2685	3190						
2200	1000	〃	4955	1000	1256	685	1190	2000	250	128	200	252.5
	1100	〃	5051	1100	1356	785	1290					
	1200	〃	5147	1200	1456	885	1390					
	1300	〃	5243	1300	1556	985	1490					
	1400	〃	5339	1400	1656	1085	1590					
	1500	〃	5435	1500	1756	1185	1690					
	1600	〃	5531	1600	1856	1285	1790					
	1700	〃	5627	1700	1956	1385	1890					
	1800	〃	5723	1800	2056	1485	1990					
	1900	〃	5819	1900	2156	1585	2090					
	2000	〃	5915	2000	2256	1685	2190					
	2100	〃	6011	2100	2356	1785	2290					
	2200	〃	6107	2200	2456	1885	2390					
	2300	〃	6203	2300	2556	1985	2490					

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

カルバート

環境

擁壁

道路用オリジナル

道路用一般

貯留システム

法面

水路用・農業用

下水道

工法紹介

呼 名		単 価 (円)	参考質量 (kg)	寸 法 (mm)								
深さ(H)	上幅			B	B ₁	B ₂	B ₃	L	R	T ₁	T ₂	T ₃
2200	2400	別途見積	6299	2400	2656	2085	2590	2000	250	128	200	252.5
	2500	〃	6395	2500	2756	2185	2690					
	2600	〃	6491	2600	2856	2285	2790					
	2700	〃	6587	2700	2956	2385	2890					
	2800	〃	6683	2800	3056	2485	2990					
	2900	〃	6779	2900	3156	2585	3090					
	3000	〃	6875	3000	3256	2685	3190					
2300	1000	〃	5053	1000	1240	685	1190	2000	250	120	200	252.5
	1100	〃	5149	1100	1340	785	1290					
	1200	〃	5245	1200	1440	885	1390					
	1300	〃	5341	1300	1540	985	1490					
	1400	〃	5437	1400	1640	1085	1590					
	1500	〃	5533	1500	1740	1185	1690					
	1600	〃	5629	1600	1840	1285	1790					
	1700	〃	5725	1700	1940	1385	1890					
	1800	〃	5821	1800	2040	1485	1990					
	1900	〃	5917	1900	2140	1585	2090					
	2000	〃	6013	2000	2240	1685	2190					
	2100	〃	6109	2100	2340	1785	2290					
	2200	〃	6205	2200	2440	1885	2390					
	2300	〃	6301	2300	2540	1985	2490					
	2400	〃	6397	2400	2640	2085	2590					
	2500	〃	6493	2500	2740	2185	2690					
	2600	〃	6589	2600	2840	2285	2790					
2700	〃	6685	2700	2940	2385	2890						
2800	〃	6781	2800	3040	2485	2990						
2900	〃	6877	2900	3140	2585	3090						
3000	〃	6973	3000	3240	2685	3190						